

WINCHESTER®

2021 EDITION
EN

**SHOOTING
CATALOG**

WINCHESTER®,
*the world's largest
manufacturer of
small-calibre ammunition*



 winchestereurope

SX4 RANIERO TESTA:
World Record
Edition 12M

NEW WILDCAT:
Perfect for
plinking

STAY TRUE



#

STAY

TRUE

Unmatched
downrange **PERFORMANCE**

Whether you're a rimfire shooter looking for the ultimate round for plinking or a competitive rifle marksman calculating ballistics to make a long range shot, WINCHESTER® has the firearms and the ammunition tools you need for fun and success at the range.



Content

3

SHOOTING WORLD

Reliability & performance

4

LONG RANGE SHOOTING XPR

7

RIFLE AMMUNITION

Match, Subsonic
and Full Metal Jacket

8

WILDCAT

Semi-automatic .22LR

10

RIMFIRE AMMUNITION

Shooting in all its forms

12

PISTOL AMMUNITION

Only the best for pistol shooting

16

DYNAMIC SHOOTING

In action with the SX4 shotgun

20

SXP

Pump action is easy!

23

BUCKSHOT AND SLUG AMMUNITION

Buckshot and Slug for serving

24

ACCESSORIES

The sport of personalization

26

TRAP AND SPORTING WINCHESTER® reliability

28

SHOOTING SHOTSHELLS

The pellet that makes
the difference


30

PRODUCT RANGE

Rifles, Shotguns & ammunition



STAY TRUE



“*Shooting is a comparison
of performance
and personal skills*”

Any given Sunday!

Whether it's training, official competitions or pure amateur style events, the competitive content is always high on shooting weekends, all over Europe. And, even if a competition is not there or is too far from home, it takes little to organize it informally among the club members ...

Shooting is a comparison of performance and personal skills, but above all it is fun. WINCHESTER® is there, on the counter or on the platform, together with all the shooters ... every “damned” Sunday . Even on Saturdays! Throughout the year.

Shooting is no longer just an individual sport. It has evolved a lot in recent years: it has come out of the shooting ranges and platforms and is an important moment of socialization and technical growth. Even now, despite the pandemic

and virtual competitions. Passion is felt. There are many shooting disciplines: the amateur disciplines and those of the large Issf family, to get to the Fitasc's Combined game shooting that joins the rifle with the over-under. The classic and historical, from the Trap to the Sporting, to get to the sport and rapid fire pistol, the “action” ones of the IPSC, for example, the emerging ones of the long and very long range rifle. Then the plinking, the .22 caliber Bench rest, the metallic silhouettes. The more there are, the more fun you have.

WINCHESTER® has world-class products for each of the disciplines. Modern guns, ammunition and accessories, designed to constantly improve performance, but also to respect the environment and health. Indeed, every year WINCHESTER® improves its catalogue, always relying on its R&D department. To leave no stone unturned.

We are ready. And you? Now that you have this newspaper in your hands, you are more so. See you on the lines!



Reliability & PERFORMANCE

EVERY DAY, MILLIONS OF SHOOTERS USE **WINCHESTER® AMMUNITION** FOR THEIR FAVOURITE SPORT. WINCHESTER®'S TECHNOLOGY-LEADING PRODUCTION CAPACITIES HAVE MADE IT THE WORLD'S LARGEST SMALL-CALIBRE MUNITIONS MANUFACTURER.

Our range of shooting products is one of the most extensive and most innovative. The most demanding users, like the FBI and the armed forces, also put their trust in WINCHESTER®. Every time you fire a WINCHESTER® munition downrange, you are reaping the rewards of our extensive expertise in innovative product development and outstanding performance.

WINCHESTER® is also the world's largest manufacturer of 9 mm ammunition. Every

day, our production teams and engineers are committed to bringing you ammunition that is unbeatably accurate and reliable.

The ultimate stamp of approval of our technical expertise and know-how came in October 2020 when WINCHESTER® was officially selected to operate the famous Lake City Army Ammunition Plant (USA) - a contract that underlines WINCHESTER®'S status as the world leader in small-calibre ammunition.



DID YOU KNOW?

WINCHESTER® PREFERRED PARTNER OF THE US ARMY

WINCHESTER® Ammunition has been awarded a contract that further consolidates its status as a world-leading developer and manufacturer of small calibre ammunition.

The US government has selected WINCHESTER® to operate its entire Lake City Army Ammunition Plant for 10 years.

This gigantic factory occupies a 1,600-hectare site that comprises 450 buildings and employs almost 2,000 people.

It is the US Army's main procurement source for small calibre ammunition.



LONG RANGE shooting



XPR™ LONG RANGE *

IT SATISFIES EVERY SHOOTER'S NEEDS

THE XPR IS ONE OF THE BEST BOLT-ACTION RIFLES IN ITS CLASS.

Convincing aesthetics, ballistic and technical characteristics that are really accurate, two positions safety with bolt unlock button and cocking indicator. The increasing use of sound moderators throughout Europe and also of muzzle brakes for more powerful calibers, has recommended threaded barrels. Accurate three-lever M.O.A. trigger system, specialized Inflex II buttplate and Weaver bases for optics mounting complete the package.

The most specific XPR version for shooting is the new Long Range with the straight, tactical fiberglass stock, optimized for bench rest shooting. The XPR Composite has a more traditional black synthetic stock, but offers the

widest choice of calibers and also a 610mm barrel. The further Composite Compact Threaded version, only in .243 and .308 with 530 mm barrel, has a shortened stock blade, to adapt out-of-the-box to smaller «sizes»! The XPR Scope Combo Threaded is a Composite supplied already calibrated with the Vortex Crossfire II 3-9x40 scope with Dead-Hold BDC ballistic reticle.

Still ergonomic and elaborate stocks for the Thumbhole Threaded versions, in laminated wood in shades of gray, equipped with a hole for the thumb, and Varmint adjustable threaded with black composite stock with adjustable comb.

1 TACTICAL STOCK

The fore-end is flat and wider for better support on the shooting range. The receiver and barrel sit low for improved stability and control. The pistol grip allows you to fit the stock snugly into your shoulder at constant pressure for a more secure hold. The cut-out at the bottom of the stock offers excellent support on sand bags or just better control with your free hand.

2 BOLT HANDLE

The bolt handle is larger in order to facilitate its manipulation, no matter the conditions. The bolt handle is available as a spare part.

3 SEMI-HEAVY BARREL

A semi-heavy barrel reduces heating and increases stability. The result is greater accuracy at long range.

STABILITY IS EVERYTHING

IN EACH SHOOTING DISCIPLINES,
THE YOUR PREPARATION IS FUNDAMENTAL
AND SO IS **THE CONTROL OF THE TECHNICAL EQUIPMENT.**

The more the shooting distance increases, the greater are the parameters to keep under control. But the shooter's satisfaction follows the same curve!

The XPR Thumbhole Threaded rifle is designed to offer maximum stability and optimal control during shooting, especially when standing and kneeling.

Laminated wood stock consists of long strips of birch wood glued together longitudinally under high pressure with epoxy glue. For added strength and stability, the grain of each layer of wood is oriented at right angles to its neighbors. It is non-deformable even in the most adverse weather conditions, colored in shades of gray

and blue. The fore-end has large cut checkering panels to improve the grip of the weak hand, the thumbhole is the extra feature in the package.

The thumbhole configuration of the stock has the advantage of allowing a much lower grip of the thumb on the actual grip, which can therefore be made with a much more pronounced angle than the axis of the barrel. The result is that the strong hand is in a more vertical position, generation a better control feeling of control over the gun and contributing positively to recoil management. The XPR Thumbhole Threaded is available in .243 Win, .308 Win and .30-06 Springfield calibers with 530mm threaded barrel.

1 INFLEX RECOIL PAD II

The ultra-flexible material used in the INFLEX recoil pad provides the best possible recoil absorption. The exclusive technology inside the pad ensures that it compresses on firing to move the stock downwards and slightly away from your face. Shooting comfort is vastly improved and you retain optimum aim for the follow-up shot.

Your XPR™ comes with a 7 mm-thick insert to increase your stock length. You can also purchase additional inserts from our line of original WINCHESTER® accessories.

2 THREADED BARREL

The barrels are now threaded to receive a suppressor* or muzzle brake.

XPR™ THUMBOLE *

XPR Varmint Adjustable



XPR™ VARMINT ADJUSTABLE THREADED *

THE MOST customizable


THE XPR VARMINT ADJUSTABLE THREADED FEATURES A SEMI-HEAVY BARREL AND ADJUSTABLE CHEEK PIECE ON THE POLYMER STOCK.

The contribution to the perfect feeling between the stock and the shooter is given by the CR1 adjustable cheek piece produced by the Swedish specialist company Kalix teknik, made separately from the stock and vertically adjustable with a considerable

excursion, in order to find the perfect alignment with the many different types of optics. And, to make it easier to manipulate the bolt, the handle is oversized. The semi-heavy barrel offers superior ballistic performance at longer ranges and can be equipped with


a sound moderator (**) or compensator thanks to the M14x1 thread.

Available in .243 Win, .308 Win, .223 Rem, .300 Win mag and .30-06 Springfield with 530 mm long; 610 mm long barrel for the .300 WM only.



XPR® M.O.A.™ TRIGGER SYSTEM

The XPR™ has a major advantage that makes it an extremely accurate rifle: its M.O.A.™ Trigger System. The trigger was originally developed for the WINCHESTER® Company's legendary M70™, and uses a system of pivoting levers that release the firing pin cleanly and at great speed for maximum accuracy. The result is triple-zero performance: zero take-up, zero creep, zero overtravel.



TWO-POSITION SAFETY

The XPR™ has a dual safety system that consists of a conventional on/off mechanism and a bolt safety feature. The bolt release button **2** positioned in front of the conventional safety button **1** lets you load or unload with the gun on safe, i.e. with the traditional safety button in the on position. For even greater safety while shooting, you can see at a glance whether the firing pin is cocked or not by the cocking indicator on the bolt head **3**.

* Scope not supplied / ** Comply with local laws on the use of suppressors.





THREE SPECIAL TYPES

FMJ AND SUBSONIC FOR TRAINING,
BUT ESPECIALLY MATCH FOR COMPETITIONS.

WINCHESTER® offers a selected range of loads for these three types of cartridges, intended for long and medium range shooting outdoors or for shooting indoors at shorter distances, even using the combination of sound moderator-subsonic cartridge. The most suitable calibers to practice your favorite discipline in economics and with maximum results, when it counts.



MATCH™
CALIBRES: .308 Win / 6.5 CM



POWER POINT SUBSONIC
CALIBRES: .308 Win / .300 Blackout



FULL METAL JACKET
CALIBRES: .308 Win / .30-06 Spr / 6.5x55 Swe / .223 Rem

MATCH, SUBSONIC and FULL METAL JACKET

Sporting shooters know that WINCHESTER® Match ammos ensure exceptional accuracy, a flat trajectory and high momentum with low sensitivity to crosswinds for all ranges. WINCHESTER®'s Match bullets and loads have set standards around the world for accuracy and consistency. Available in Europe .308 Win and 6.5 Creedmoor cartridges and two bullet weights, respectively of 168 and 140 grains. The bullets have an extremely sleek surface and wide boat tail profile with a small hollow point. The design maximizes accuracy even at long range and is suitable for "fast" rifling barrels (twist rate from 1: 7" to 1: 9").

Specifically for shooting through firearms outfitted with a suppressor for indoor or outdoor training, two specific subsonic cartridges run at 323 m/sec at the muzzle with hollow point bullets: .308 with 185 and .300 bullet Blackout with ball of 200 grs.

A wider range of calibers with full jacketed WINCHESTER® bullets, classic loads: .223 Rem caliber with 55 grs bullet, 6.5x55 Swedish 140 bullet, .30-06 Springfield and .308 Win with the same bullet weighing 147 grs. These are four reliable and economical cartridges for training or fun shooting. The velocity characteristics of the .308 Win FMJ, for example, are not too dissimilar to those of the .308 Win Match, up to 300 meters, although the heavier ball tends to drop more.



Perfect for plinking

WINCHESTER® HAS BEEN BUILDING RIMFIRE RIFLES FOR MORE THAN A CENTURY. THIS **WILDCAT™** IS COMPLETELY NEW IN DESIGN AND TECHNICAL CONTENT.


It is a semi-automatic blowback striker fired, characterized by the possibility of disassembling the entire action, including bolt and trigger group, simply by releasing it from a rear hole and pulling it out from below.

A solution that facilitates cleaning, essential in a semi-automatic .22 long rifle caliber, by passing the cleaning rod directly into the rear hole.

The 10-round rotating magazine has an ambidextrous release, an adjustable ghost ring diopter and a front sight on a ramp, a Picatinny rail for the scope and a second for accessories, under the forend.


The ergonomic, skeletonized stock is made of polymer, 16" or 18" (406 or 457 mm) long buttoned barrel with muzzle thread, weight of 1,800 grams when empty.

“ The Lower receiver assembly of the Wildcat™ is easily removed by pushing a single button ”




Removable **ACTION**

The lower receiver assembly can be removed from the upper section along with the bolt and trigger group with a simple press of the button located at the back of the receiver. No tools required! The manual safety button can easily be reversed for problem-free use by right- and left-handed shooters.



SLIDE lock

The slide lock button is located at the front of the trigger guard. The mechanism can be locked open for maximum safety during storage and transport.



STOCK

The streamlined design and pistol grip of the ambidextrous stock make it outstandingly ergonomic. The moulded polymer build and matt finish ensure it can withstand the harshest conditions.

WILDCAT[®], SEMI-AUTOMATIC .22LR RIFLE



STAY TRUE



This is *fun!*

MASSIMO VALLINI FOR OVER TWENTY YEARS WAS THE EDITOR-IN-CHIEF OF ARMI E TIRO, THE LEADING MAGAZINE IN THE SECTOR IN ITALY. HE PRACTICED ALMOST ALL SHOOTING DISCIPLINES, «WITHOUT EXCELLING IN ANY, BUT TO GET TO KNOW THEM» AS HE SAYS.

A past as a paratrooper officer, a law graduate and a psychotherapist, today he is mainly dedicated to hunting. He tried the new WINCHESTER[®] Wildcat with curiosity. «There aren't many .22 caliber semiautomatics on the market. It is difficult to make them reliable, but here WINCHESTER[®] has successfully overcome one of the problems that afflict this type of gun and that is cleaning».

WHAT KIND OF EXPERIENCE HAVE YOU HAD WITH .22 CALIBER FIREARMS?

«Like everyone else I started with compressed air guns and the .22 caliber at the shooting range. I did some Bench rest .22 competitions which in Italy are very popular: you shoot from sitting at 50 meters on a sign with 25 very small targets! They are used exclusively bolt-action and only 10 is worth!».

SO THE WILDCAT CANNOT BE USED IN THIS DISCIPLINE?

«That's it. But there is no doubt that the WINCHESTER[®] rifle is designed for the funniest forms of shooting, such as the informal one, with metal shapes, skittles, reactive targets».

HOW DID YOU FIND YOURSELF THERE?


«Without optics it is really very light, comfortable especially for young people and women thanks to the polymer stock obtained in one piece. It does its job very well which is to entertain, especially with reactive targets! It never jams!».

SO MUCH in the small!

IN SHOOTING RANGES AND ALSO OUTDOOR,
RIFLES AND RIMFIRE PISTOLS ARE **THE MOST USED**.

Whether for the economy of the .22 Long Rifle caliber is definitely the most popular rimfire caliber, either for its low price or for the variety of disciplines that can be practiced.


But, above all, because despite the small size of the caliber, the gun/cartridge combination is able to guarantee quality performance at 50 and even 100 meters. Without neglecting the fact that fun is always guaranteed: many shots, groups concentrated on the 10 or "A" of the target, very little noise and no worries about the recoil!



ROTARY magazine

The easily accessible magazine release system can be operated by either

hand. The magazine drops right into your hand. The magazine can be changed quickly so you can get straight back to shooting!



PICATINNY rails

The integrated top rail on the upper receiver provides an easy scope attachment option. A second Picatinny rail is fitted at the front of the fore-end for you to add a bipod, sling attachment, torch or other accessory to your rifle. A cover protects your hands when the rail is free of accessories.



**NEW
WILDCAT**

RIMFIRE ammunition

SHOOTING

IN ALL ITS FORMS



THE **.22 LONG RIFLE** IS THE MOST WIDELY USED SHOOTING AMMUNITION IN THE WORLD.

The standard bullet is still the lead one, weighting 40 grs (2.6 grams), of a shape that can be considered consolidated for ballistic purposes and which in any case has a decisive role in the accuracy and in the most grazing trajectory possible.

WINCHESTER® has maximum experience in cartridge development and precision in component manufacturing and loading. And it can offer a wide choice of .22 rimfire reliable and precise, but above all specific for each type of use.

.22LR



SUPER SPEED®

VELOCITY AND ACCURACY

The Super Speed is the absolute maximum in terms of quality and performance. The bullet is made of copper-plated lead to reduce lead-up of the barrel, the initial speed is 386 m/sec, ideal for use with bolt-action and semi-automatic guns.



T22™

RIFLE PRACTICE

The T22 is a performing rifle training cartridge. Ball of 40 grs and initial speed of 331 m/sec. It can guarantee an accuracy of 2 cm at 50 meters and therefore is also suitable for metallic silhouette competitions.



STANDARD VELOCITY

SUPPRESSOR OPTIMISED**

The Standard Velocity, optimized for use with a silencer, develops a muzzle velocity of 305 m/sec. Designed to ensure the perfect functioning of even semi-automatic guns, it is loaded with a 45-grain round-headed lead bullet with a black copper finish to reduce lead-up.



M-22®

IDEAL FOR SEMI-AUTOMATICS

The M-22 with 40 grs bare lead bullet with rounded tip (323 m / sec) is designed to ensure smooth operation in all types of guns, with or without silencer.



ZIMMER®

INDOOR SHOOTING


The Zimmer cartridge is designed for short distance indoor training. The 29 grs ball goes at subsonic speed (235 m/sec).





STAY TRUE

.22LR



LASER

HIGH VELOCITY

WINCHESTER's Laser ammunition is loaded with a copper-plated hollow point bullet to limit lead fouling in the barrel. Its high, 418 m/s muzzle velocity delivers a flat trajectory for great accuracy. The 37 gr round generates 218 Joules of kinetic muzzle energy.



SUPER-X® 235

INTENSIVE SHOOTING AT A REASONABLE COST

This hollow point bullet fires with a muzzle velocity of 390 m/s. It is ideal for recreational shooting and varminting. Its copper coating reduces friction in the barrel.



SUPER SPEED HOLLOW POINT

VARMINTS AND LONG-RANGE SHOOTING

The Hollow Point version of the Super Speed is ideal for varminting and hunting small animals. Its high 405 m/s velocity delivers exceptional energy and top-grade performance at long range. The copper plating reduces lead fouling in the barrel for sustained high-accuracy shots.



SUBSONIC FLAT NOSE

.22 LR SUBSONIC

Subsonic lead flat-nose bullet for recreational shooting and varminting.



PISTOL ammunition

ONLY THE BEST FOR PISTOL SHOOTING

Cartridges with jacketed bullets are widely used in pistol shooting sports because they are accurate and require less maintenance of the guns.

In Europe shooters often have to comply with different regulations, but the WINCHESTER® Ammunition range also includes jacketed hollow point caliber 9 or .44 magnum and cartridges. 38 special wad cutters, all very popular in the 25 meter ranges. Especially in

closed shooting ranges, WINCHESTER® has recently also developed two cartridges that drastically reduce exposure to lead. There are even three "Lead" cartridges for Cowboy Action shooting!



CALIBRES: 9 mm Luger / .38 Special / .45 Auto / .380 Auto / .40 S&W / 9x21

FULL METAL JACKET ACCURATE and CONSISTENT



The new Super-X 124 gr FMJ in 9 mm Luger from WINCHESTER® is perfect for all shooters and all situations.

FULL METAL JACKET: provides positive functioning and no expansion.

CONSISTENT ACCURACY: trusted for target and range shooting.

REDUCED BARREL FOULING: less cleaning and more range time.



ALSO AVAILABLE:

LEAD WAD CUTTER

PAPER TARGET SHOOTING

CALIBRE: .38 Special



LEAD

COWBOY ACTION SHOOTING

CALIBRES: .44-40 Win / 44 S&W Sp / .45 Colt



JACKETED SOFT POINT / HOLLOW POINT

LIMITED EXPANSION

CALIBRES: .44 Rem Mag / 9mm Luger





STAY TRUE

Nothing better for competitions

**DID YOU
KNOW?**

THE LARGEST FACTORY IN THE WORLD

Last year the WINCHESTER® Ammunition assumed full management and operational control of the Lake City government arsenal in Independence, Missouri. It is the main facility for the production of military ammunition for the US military. It is a gigantic factory, spread over 1,600 hectares with 450 buildings and employing nearly 2,000 people.

The 10-year contract further strengthens WINCHESTER®'s status as a world leader in the development and manufacture of small arms ammunition.

The WINCHESTER® 9 mm ammunition is also the one chosen by the authorities of the Federal Bureau of Investigation, after long and rigorous selection tests.

The trust granted by the world's first military and police force known to all are the reward for the efforts WINCHESTER® has always put into offering the best to sport shooters or security professionals.



WINCHESTER® factory, Oxford, Mississippi



**WINCHESTER® FULL METAL JACKET
AMMUNITION IS PRECISE,
RELIABLE AND CONSISTENT
IN YIELD, PERFECT FOR
ALL TYPES OF SHOOTERS AND
IN ALL CIRCUMSTANCES.**

The bullets offer good performance without expanding on the target, the copper jacket protects the barrel and reduces maintenance time, which translates into more time to devote to the preferred shooting specialty.

In 9 mm Luger caliber, in addition to the new Super-X 124 grs FMJ (345 m/sec), a 147 grs flat nose (302 m/sec) bullet loading is also available. Then, again in packs of 50 pieces, .380 Auto 95 grs (264 m/sec), .38 Special 130 grs (244 m/sec), .40 S&W with 165 grs flat nose and 180 grs (323 and 311 m) ball/sec), .45 Auto 230 grs (255 m/sec).

WINCHESTER® Super Clean®



INDOOR SHOOTING
LEAD-FREE



STAY TRUE

Cartridges at will

For this WINCHESTER® has prepared the new Super Clean® bullet which uses a zinc core instead of lead and the usual copper jacket.



Considering that the Super Clean cartridge is also loaded with a heavy metal-free primer, it is ideal for eliminating exposure to lead for the shooter and the shooting range. This configuration is particularly popular for indoor shooting and by shooters who consume large volumes of cartridges.

The Super Clean is available for now in the most popular 9 mm caliber, with a heavy bullet just 90 grs, capable of reaching 404 m/sec at the muzzle. The velocity of this bullet is greater than a traditional lead FMJ ammunition to compensate for the loss of core mass. An advantage for the shooter, because the trajectory is tighter.



CALIBRE: 9 mm Luger

SUPER CLEAN® FMJ
100% LEAD-FREE



The new Super Clean bullet from WINCHESTER® does not expose shooters and the environment to lead.

FULL METAL JACKET: provides accuracy and consistent functioning.

ZINC CORE: ideal for situations where no down-range lead is permitted.

PRIMER: heavy-metal-free for indoor shooting and intensive training.



LEAD

UNDER CONTROL



LESS RESIDUE ON THE BARREL,
BOLT AND CASE:
WINCHESTER® WINCLEAN®
REPRESENTS A BENCHMARK
FOR INDOOR AND
OUTDOOR SHOOTING.

The bullet has a Brass Enclosed Base (BEB) that is a brass jacket, which completely covers the base and sides of the bullet, while the flat nose exposes the lead core. This structure is designed to eliminate the vaporization of lead that originates from the base of the ball upon the explosion of the launch charge. The powder used, in addition, guarantees clean

combustion and reduced flame. The cartridge uses the patented WINCHESTER® lead-free and heavy metal-free primer, to further minimize lead in the air at the firing area. WinClean is a cartridge capable of excellent accuracy and reliability.

It is available in caliber 9mm Luger 124 grains (345m/sec) and .357 Magnum 125 grains (418m/sec).



CALIBRES: 9 mm Luger / .357 Magnum

WINCLEAN® LOW LEAD EXPOSURE

WinClean® handgun ammunition is loaded with a patented heavy-metal-free and lead-free primer.

PROJECTILE: exclusive "Brass Enclosed Base" (BEB) jacket that eliminates lead vapours at the base of the bullet.

POWDER: clean combustion, less flame.

PRIMER: heavy-metal-free for indoor shooting and intensive training.

Dynamic SHOOTING



IN ACTION

WITH THE

SX4™ SHOTGUN



IT IS IMPRESSIVE TO OBSERVE THE SPEED AND FLUIDITY OF THE SHOOTERS WHO STAGE AND RELOAD THEIR FIREARMS WITH ONE HAND FOLLOWING THE "TWIN-LOAD" OR "QUAD-LOAD" TECHNIQUE: IT IS A SPORT WITHIN A SPORT. BUT THEN YOU NEED **A RELIABLE SEMI-AUTO.**

The IPSC dynamic shooting reserves four divisions for Shotgun shooting. The shotgun can be powered with bird shot, buck shot or slug ammunition. The fast reloading technique is decisive for manual action shotguns and semiautomatics with tubular magazine. But it is essential that the "tools", the guns, are reliable and fast. Maneuverable to perfection.

Depending on the division, you can also use optical collimators and compensators, accessories to aid rapid recharging and magazine extensions, respecting the maximum measurements

of the shotgun. There are also different restrictions in some European countries. And, also in Europe, the US import disciplines of the "3-Gun Match" are spreading, in which one of the three shotguns is smooth-bore.

Not just sport, however, for shotguns. Even the tactical use is not to be neglected: especially the pump action, but also the semi-auto are usefully used for informal fun shooting in open-air shooting ranges. The important thing is to shoot. And if the shot is «action» the fun increases!

Fast response

"EASY" SWING, NATURAL ACQUISITION OF AIM, RELIABILITY AND WEAK RECOIL SENSATION.

The **WINCHESTER® SX4** is, above all, quick and fast, thanks to the short stroke piston. It is thanks to the Active valve integrated in the piston that optimizes the gas of the cartridge explosion and uses only those useful for the shotgun's kinematics. Nothing more and nothing less. Thus the Super X4 can use all cartridges on the market, from the lightest to the heaviest. The semi-auto's response is always valid and very prompt: for the IPSC shot it is a decisive requirement.



ACTIVE VALVE SYSTEM


The SX4™ is redesigned to be the most reliable and the fastest semi-automatic shotgun with the less recoil. It operates as simply as possible through the use of a gas piston with an 'Active Valve' that adjusts automatically so you can use a wide range of different loads.

BACK-BORED™ BARREL

Back-Bored™ technology makes better use of your cartridge's capability.

Back-Bored™ barrels ensure better shot distribution and less shot deformation before impact.

 Steel shot proved.



Shooting set-up

THE SPORTY SET-UP FOR THE **SX4 SEMI-AUTOMATIC** IS NEW.

In fact it is called «9 shots» because its salient feature is the oversized tubular magazine for 8 + 1 12/76 caliber cartridges. He specializes in Shotgun Ipsec and 3-gun disciplines. Barrel overbored to 18.8 mm, 710 or 760 mm long, rib equipped with ramp and ventilated, 6.5 mm wide with optical fiber sight. The gray Permakote treatment is applied to the barrel and the other metal parts, including the aluminum frame. The magazine extension is black anodized and can also be sold separately as an accessory. The stock is in gray composite. The 9-shot WINCHESTER® SX4 is a very fast, balanced and ergonomic semi-automatic, adjustable stock and length of pull.



SX4™ 9-SHOT 12M

Combining the fastest semi-automatic shotgun on the market with an 8+1 magazine tube gives you the trophy-winning performance of the SX4™ 9-shot composite. The grey Permakote finish on the barrel and receiver protects and preserves your SX4™, and wonderfully offsets the black extension of the tube magazine. This gun comes in a red ABS case. The magazine extension tube is available separately as an accessory item.



SX4™ SILVER PERFORMANCE 12M

Just like the SX4™ Raniero Testa, the SX4™ Silver Performance is designed to excel in competitive and hobby sports shooting. Swinging through the clays is easy with the barrel rib. The Inflex Technology recoil pad lets you fire multiple consecutive shots without unshouldering. The five red Invector-Plus™ Signature chokes guarantee a multi-versatile gun that will deliver stunning performance in any shooting discipline.

**SX4™
SILVER
PERFORMANCE 12M**



WORLD Record



Raniero towards the superhuman

RANIERO TESTA, 43 YEARS OLD, IS THE EXHIBITION SHOOTER WHO HOLDS THE HIGHEST NUMBER OF RECORDS IN THE WORLD. HE IS THE MAIN TESTIMONIAL OF WINCHESTER® GUNS: HE IS A PHENOMENON, BUT HIS SHOTGUNS AND CARTRIDGES WITH THE «W» BRAND ARE CERTAINLY NO LESS. INDEED THEY CONTRIBUTE TO ITS SUCCESS.



His most astonishing record dates back to 2021: 17 clay targets in flight with a single throw. It stops at nothing! For this record, which requires him to throw 17 targets with his right hand, he even thought about undergoing a finger lengthening operation, using a temporary prosthesis. Then instead he put into action one of his magic, which is not magic: «At the

beginning, 17 clays just didn't fit in my hand. But every day I put 17 in my hand and, little by little, I managed to digest this thing. Then it took a lot of training, including physiotherapy sessions to make the hands stronger and more capacious». A stratospheric record. «It was definitely within my reach, thanks to my WINCHESTER® partners, and to the others who gave me the strength to face this superhuman record. Just

think that now I can throw two clays at a height of 50 meters and 17 on 15-17 meters ». Extraordinary talent, but also a lot of self-denial and a lot of work. The secret of its success is also a matter of unwavering determination.

Raniero is always able to amaze and announces another 5 records in the course of 2021.



SX4™ RANIERO TESTA - WORLD RECORD EDITION 12M

In January 2021, WINCHESTER® shooter Raniero Testa pushed back the boundaries of physical possibility by breaking 17 clays in 2.03 seconds with his SX4™. To celebrate this world record, we have created a special edition, magnum-chambered SX4™ with an 10-shell magazine tube. Its nickel-finished receiver and magazine tube strike a wonderful contrast with the composite stock and fore-end. This magnificent gun bears the name of Raniero Testa and includes five Invector-Plus™ Signature Chokes. Is your performance worthy?

CUSTOMIZE with the right accessories



It is typical for shooters to use every possible upgrade for their «gear». And WINCHESTER has also thought about this opportunity. In addition to the two extensions for the SX4 magazine, which add 6 and 4 shots to the normal capacity, there are recoil pads of two different thicknesses, 25 and 30 mm, and a spacer of 7 mm to adapt the length of the stock to personal anatomical measurements.

SX4™



A gun is not truly perfect until it meets all the needs of the shooter shouldering it. Always attentive to client comfort, WINCHESTER® offers a wide range of accessories.



1	Spacer 7mm	B1181097AA
2a	Recoil pad 15mm	BST78019AA
2b	Recoil pad 25mm	BST10055AA
2c	Recoil pad 30mm	BST10125AA
3	Magazine extension kit + 4 12ga	6151040
3	Magazine extension kit + 6 12ga	6151041

OTHER USEFUL «TOOLS» FOR SHOOTING

In addition to a large range of SX4 for hunting, an equally large range of semiautomatics are intended for shooting or can be without too much difficulty. In 2021, the exhibition shooter Raniero Testa hit 17 targets in flight in just 2.08 seconds. With a WINCHESTER® SX4 not too different from those on the market. To celebrate this sensational world record, a special **SX4 Raniero Testa-World Record Edition** has been created bearing the signature of Raniero Testa. Magnum chambered, has magazine tube of 10 cartridges. The nickel-plated finish of the receiver and magazine tube contrasts beautifully with the composite material of the stock and fore-end. It is equipped with five Invector Plus Signature chokes.

The **SX4 Silver Performance** was also designed to excel in sport shooting. The tubular magazine has a capacity of 4 + 1 shots. The high rib, 6 mm wide, allows you to easily aim fixed or moving targets. The Inflex II recoil pad protects the shoulder. The five red Invector Plus Signature chokes guarantee great versatility to the shotgun.

The **SX4 version with composite stock** has been enhanced with a 20 gauge with 2 barrel lengths and 3 Big Game versions. One is supermagnum 12/89 with a 560 or 610 mm semi-heavy barrel, Permakote finish, rifled to allow you to fire sabot slug bullet cartridges with great accuracy. It is equipped with a cantilever for mounting optical collimators, but also with a fiber optic front sight.

Also the **12/76 Big Game rifled** version adopts the same 560 mm barrel, while the **Big Game smooth** has a smooth barrel of 610 mm cylindrical or with interchangeable chokes, Truglo fiber optic front sight and cantilever.

The brand new **SX4** version with an even shorter barrel, 470 mm, with interchangeable chokes and cantilever with Picatinny rail welded directly on the barrel, is called Tactical cantilever. Inflex II recoil pad of 30mm.



DID YOU KNOW?


CUSTOMIZE YOUR SX4™



As a tactical shooter, you're never without your **SX4**.

Your **SX4** with its detachable reducer never fails to impress you with its speed. So much so that you need some extra shells.

WINCHESTER® brings you two magazine extension tubes to increase the capacity of your SX4 by four or six shells.



Pump action is easy!

THE IPSC SHOTGUN MANUAL DIVISION IS ALMOST EXCLUSIVELY GEARED TOWARDS SHOTGUNS. SHOOTERS WITH WELL-KNOWN BRANDS OF SHOTGUNS MEET THERE AND NATURALLY **WINCHESTER®** IS IN THE FOREGROUND.



In this division and in general in competitions with pump action, the perfect knowledge of your shotgun, the complete feeling and above all the confidence acquired from intensive training count a lot. Because it is essential to be fast and able to face targets that are made of paper, of course, but often also frangible or metallic or even reactive and therefore must be hit with a sufficient number of bird shot or buck shot. And many are penalty targets, so attention and accuracy must be maximum. With slug cartridges, the farthest targets are engaged,

but depending on the engagement distance, with the pellets, different chokes will be preferred. The conduct of the stage and the competition always assume great importance.


This is for those who play in a competitive way. Then there is the amateur shooting, which perhaps more closely follows the tactical one and in which a high-level rifle and ammunition offer maximum satisfaction. If they are WINCHESTER®, it's easy!

THE PUMP-ACTION SHOTGUN OF LEGENDARY ACCURACY

The hard chrome ensure highly ruggedized surfaces and better protection against corrosion. The **CHROME-PLATED** bore and chamber make our SXP™ shotguns completely safe for firing steel and other high-density shot.



Four massive **ROTARY BOLT LUGS** provide support, strength and solid lockup in the barrel. As it recoils, the mass of your body slows the rearward travel of the shotgun, while the inertial motion of the bolt, slide and forearm continue cycling the action to give you a head start ejecting the fired shell. Robust steel dual action guide bars eliminate the twisting and binding that waste time and energy when cycling the action.





SXP

SUPER X PUMP...

SUPER PERFORMANCE

THE **WINCHESTER® SXP** IS THE HEIR TO THE GLORIOUS 1300 DEFENDER.



SXP™
DEFENDER TACTICAL
ADJUSTABLE 35

It has a rotating bolt with four tenons, which engage the seats obtained in the breech of the barrel. The head has actuation assisted by the inertia of the bolt itself. Two sturdy steel rods eliminate the torsion and winding phenomena that represent a waste of time when operating the mechanism. The bolt release lever (which also acts as a cut-off) is typically located to the left of the pistol grip and must be pushed forward with the weak hand. The only other command is that of the safety which blocks the hammer. The bridge is wide enough for use while wearing gloves. The frame is in opaque light alloy, black anodized, rounded shape on the back, a red painted line that follows the outline with the model name also in

red on the right side and the WINCHESTER® logo on the left side.

The barrel is normally 460 or 510 mm long, back bored to 18.8 in the center of the bore, which is subjected to hard chrome plating. Solution that aims to increase the speed and penetration of bird shot in particular, but also of buck shot and slug, as well as obtain more uniform shot patterns and reduce the effects of recoil. In the muzzle there is a breacher/compensator, screwed to the thread for the internal mobile chokes. The stock is in composite, black, Kryptek Typhon camouflage or Flat Dark Earth, fixed or telescopic.



SXP™ XTRM DEFENDER HIGH CAPACITY 51

This gun offers an 8-round shot capacity and has a 51 cm barrel. It is a 12 gauge chambered for 76 mm that easily adapts to your body and/or the particular demands of your day out in the field. It features a pistol grip and comes with two interchangeable combs and four inserts – making it easily configurable in nine possible combinations.



SXP™ XTRM DEFENDER ADJUSTABLE 46

Designed for target shooters, this model principally stands out due to the length of its stock, its perfectly adjustable cheek-piece, and its pistol grip. In addition, it has a Picatinny rail for a scope, with an integrated ghost ring rear sight.



SXP™ DEFENDER TACTICAL PG 35*

This gun offers an 8-round shot capacity and has a 51 cm barrel. It is a 12 gauge chambered for 76 mm that easily adapts to your body and/or the particular demands of your day out in the field. It features a pistol grip and comes with two interchangeable combs and four inserts – making it easily configurable in nine possible combinations.

SXP™ DEFENDER TACTICAL ADJUSTABLE 35*

If you're looking for an extremely short pump-action shotgun with a stock that offers a perfect body fit, the SXP™ Defender Tactical Adjustable 35 has a 35 cm barrel and adjustable comb. Whether you're aiming with a red dot or through open sights, you'll be straight on target. With four cartridges in the tube and one in the chamber, you're ready for those intensive shooting sessions.

PUMP-ACTION Shotguns



THE FLAT DARK EARTH DESERT FINISH ADDS EVEN MORE PERSONALITY TO THE APPEARANCE OF THE TWO **SXP DEFENDERS** THAT ALREADY HAVE ENOUGH PERSONALITY.



SXP™ DARK EARTH 460 mm

The Dark Earth flat finish adds character to this SXP™ - and yet it already has charisma to spare.



SXP™ XTREM DARK EARTH 460 mm

With a heat shield on the barrel, two adjustable combs and a Picatinny rail: the SXP XTREM Dark Earth Defender has all the kit you need for your dynamic shooting sessions. The sandy Dark Earth colour scheme rounds off its daring look.

Both have 460 mm long barrel which gives great maneuverability, with Invector Plus chokes, capacity of 5 + 1 cartridges, composite stock. The SXP Dark Earth model has a fixed, modern stock. The SXP XTRM Dark Earth Defender model is better equipped for action. It has two cheek pads of different heights that combine with the Picatinny rail on the action, for mounting adjustable optical collimators, two other Picatinny in front of the forend. The barrel has a heat shield and door breacher.

A very rich range

WITH THE **SXP DEFENDER** RANGE ALSO, WINCHESTER® IS ABLE TO OFFER THE WIDEST OFFER POSSIBLE FOR SHOOTING

Although the longer ones are preferred for shooting, especially in standing shooting, different barrel lengths are available. Then various types of colors and conformations of the stock.

The "basic" SXP Defender model has 6 shots (5 + 1), black composite stock and 460 mm chromed barrel, Invector Plus chokes. Discreet, reliable and light, it is already a safe value in its class. The SXP Typhon Defender additionally features the innovative Kryptek Typhon camouflage and drilled frame for mounting optics. The SXP Defender High Capacity model has a 510 mm long back bored barrel and a 7-round tubular magazine, for longer shooting

sequences, with a Truglo fiber optic front sight. The frame is drilled to allow the installation of an optic. There are also Tactical versions with 350 mm cylindrical barrel, Truglo front sight, with very short pistol stock or the XTRM telescopic adjustable stock.

Stock that also distinguishes the SXP XTRM Defender Adjustable version with 460 mm barrel and Picatinny rail intended to receive a rifle scope, inside which a Ghost type rear sight is integrated. The SXP XTRM Defender High Capacity 51 version has 510 mm barrels, 7+1 capacity, stock with two interchangeable cheek pads and four spacers, for nine possible customizations.



SXP™ DEFENDER



SXP™ TYPHON DEFENDER



SXP™ DEFENDER HIGH CAPACITY

BUCKSHOT and slug ammunition

RACK MASTER

MEDIUM RANGE

Suited to rifled and smoothbore barrels with no choke limit

CALIBRES: 12 32g / 16 28g



BRENNEKE EMERALD

MEDIUM RANGE

For use in smoothbore barrels only

CALIBRE: 12 34g



DEER SEASON COPPER IMPACT

MEDIUM TO LONG RANGE

For use in rifled barrels only

CALIBRES: 12 28g / 20 21g



SUPER X®

MEDIUM RANGE

Designed for smoothbore barrels only


CALIBRES: 12 28g / cal. 12 Mag 28g / cal. 20 21g / cal. .410 6g.



MAGNUM BUCKSHOT

COPPER-PLATED SHOT

CALIBRE: 12 12x8.6mm



TW

STAY TRUE

Buckshot and Slug for serving

IN IPSC SHOTGUN SHOOTING, THE RIFLE CAN BE FED WITH SHOT, BUCKSHOT OR SLUG AMMUNITION. LOADS THAT ARE NOT TOO HEAVY ARE ALWAYS PREFERRED TO BETTER CONTROL THE DETECTION AND RECOIL AND TO OBTAIN THE BEST RESULTS IN TERMS OF SPEED AND ACCURACY.

If for bird shot, you can draw on those for clay pigeon, for slugs and buck shot you need to draw from the world of hunting. WINCHESTER does not miss anything and does not miss anything to shooters.

The Rack Master is a 12/67 cartridge with a hollow point bullet of 28 grams (or even 35) very fast (455 m/sec) suitable for shooting with rifled and smooth barrels without any choke restriction, painted in red to keep clean the barrel. The plastic wad has a shock absorbing function. The Brenneke Emerald is equipped with the well-known German Brenneke bullet, also with a plastic wad, weighs 34 grams and an initial speed of 420 m/sec. It can be used only in smooth barrels.

The Deer Season XP Copper Impact cartridge is available in two versions with a very fast copper sabot slug of 28 or 35 grams (488 and 487 m/sec).

Super X offers high speeds and a tight and precise trajectory. The secret is the design of the 28 gram (488 m/sec) Foster slug, with the center of gravity shifted to the slightly concave tip. For smooth barrel only.

Standard Buckshot cartridges provide the shooter with a full range of weights (also 30.5 and 33) in all buckshot diameters.



ACCESSORIES

THE SPORT OF PERSONALIZATION

EVEN IF WINCHESTER® OFFERS HIGHLY EQUIPPED MODELS OF SHOTGUNS AND RIFLES, THE FAVORITE SPORT OF SHOOTERS, IN ADDITION TO SHOOTING ITSELF, IS TO ALWAYS FIND NEW MORE OR LESS DEDICATED ACCESSORIES.


Therefore, nothing better than resorting to accessories «certified» by the company, already designed for that particular model. We are talking about chokes, which can be longer and more comfortable to handle or provide additional performance.

Or, perhaps, Picatinny rails for mounting optics or accessories; adjustable stocks, recoil pads and spacers; Truglo fore sights, heat shields; muzzle brakes and oversized hand cuffs; magazines. In short, we have given you the suggestion...

SX4™



1	Spacer 7mm	B1181097AA
2a	Recoil pad 15mm	BST78019AA
2b	Recoil pad 25mm	BST10055AA
2c	Recoil pad 30mm	BST10125AA
3	Magazine extension kit + 4 12ga	6151040
3	Magazine extension kit + 6 12ga	6151041



XPR™




1	XPR™	3-shot magazine .243 Win - .308 Win - 6.5 CM	U3575181AA
1	XPR™	3-shot magazine .270 WSM - .300 WSM	U3575182AA
1	XPR™	3-shot magazine .30-06 Spr - .270 WSM	U3575117AA
1	XPR™	3-shot magazine .300 WM - .338 WM - 7 mm Rem	U3575118AA
1	XPR™	5-shot magazine .223 Rem	U3575708AA
2	XPR™	Recoil pad Inflex 1	BST14104AA
3	XPR™	Spacer 7 mm	U1117809AA
4	XPR™	Muzzle Break T1 M14x1 (max .30 Cal)	6151044
4	XPR™	Muzzle Break T1 M15x1 (max 9.3 mm Cal)	6151045
5	XPR™	2-pieces XPR Bolt Handle	6151038
6	XPR™	Integrated mounting (base and rings) 30 mm matte Standard (*)	64630
6	XPR™	Integrated mounting (base and rings) 30 mm matte Intermediate (*)	64631
6	XPR™	Integrated mounting (base and rings) 30 mm matte High (*)	64632
7	XPR™	SHPlus Nomad Rail - Short	DSHWI0720
7	XPR™	SHPlus Nomad Rail - Long	DSHWI0730

(*) SCOPE RING SYSTEM HEIGHT SELECTION GUIDE (FOR RIFLES WITHOUT OPEN SIGHTS).

STANDARD (LOW)
ring height for scopes up to a 44 mm objective with a standard barrel contour.

INTERMEDIATE (MEDIUM)
ring height for scopes up to a 50 mm objective with a standard barrel contour.

HIGH RING (HIGH)
height for scopes up to a 56 mm objective with a standard barrel contour.






STAY TRUE

SXP™





1	SXP™	Xtrem Defender Adjustable stock	U1280369AA
2	SXP™	Xtrem Defender Folding stock	U1280373AA
3	SXP™	Standard stock	U1280151AE
4	SXP™	Recoil pad Inflex 1	BST14104AA
5	SXP™	Spacer 7 mm	U1117809AA
6	SXP™	Picatinny rail	62500
7	SXP™	Truglo® front sight	BST80210AA
8	SXP™	Heat Shield	6151039
9	SXP™	Door Breacher Inventor	U1280276AJ
10	SXP™	Double Picatinny front rail	U1280293AP



DID YOU KNOW?

THESE YOU MUST HAVE!

Picatinny rails are now inevitable on "tactical" guns: for mounting optics or accessories such as, for example, torches. It is because they are easy to use and allow for great flexibility of use. Even the oversized tubular magazines do not joke about their usefulness: during shooting competitions the time it takes to reload makes the difference, even if you are super fast with your hands!



OPEN THAT DOOR!

The function of the door breacher is to blow up the door hinges with specific «demolition» cartridges, placing it directly in contact. The side holes allow the gases of the cartridge explosion to escape. It has the accessory function of flash hider and above all of compensator, thanks to the holes that help to counterbalance the tendency of the barrel to rise during shooting.



TRAP and SPORTING

WINCHESTER®

RELIABILITY



The most selective test

CLAY PIGEON SHOOTING IS A VERY SELECTIVE TEST FOR OVER AND UNDER. MANY SHOTS ARE FIRED, THE QUALITIES OF THE SHOOTERS ARE PUT TO THE TEST, BUT ALSO THE BARRELS.


And on the barrels, shooters are able to confront for hours in search of the best, the one with the most suitable drilling or characteristics so complex and sometimes vague that it is difficult to achieve a definitive result. It is a component of this very technical and fascinating sport.

It is no coincidence that WINCHESTER® has named its over-and-under for the Trap and Sporting disciplines Select, with specific peculiarities. The Select has a

steel action frame among the lowest on the market, with top pivots that fit into the monobloc. The design is classic, pleasant and effective, due to the sharpness of the lines and profiles: the half folder is on two levels, the double shells are simple. The rods are built with back bore technology, that is, a large internal portion is overweighted.

The latest, very recent version is called Select Sporting Black with action frame and naturally burnished black metal

parts and a new attractive aesthetic, 710 and 760 long barrels with 5 Invector Plus chokes (Cyl, ¼, ½, ¾, Full) with intermediate sight, rib 10 mm wide and ventilated. The stock is in Grade 2 walnut, 375mm long with 15mm thick Inflex II recoil pad and optional 25mm and 30mm, adjustable trigger position. A very customizable over-and-under, therefore, well maneuverable and fast, but above all sweet to recoil thanks to the back bore barrels and the Inflex II recoil pad.




BACK-BORED™ BARREL

Back-Bored™ Technology makes better use of your cartridge's capability. Back-Bored™ barrels ensure better shot distribution and less shot deformation before impact.

Barrels proofed for STEEL PELLETS

All WINCHESTER® Select™ over-and-under shotguns, are tested with high performance steel shot at 1370 BAR, which allows you to hunt in all conditions and to shoot traditional cartridges as well as those with steel shot without damaging your barrels. The hard chrome plating ensures durable surface wear resistance and is the best protection against dust and corrosion.

 Steel shot proofed.



SELECT



SELECT™ SPORTING BLACK

The red and the black: the same colours as the famous novel by Stendhal can be found on this new Select™, which is designed to dazzle on the range. The Select™ Sporting Black over-and-under includes WINCHESTER®'s new visual identity. It also features a distinguished blued and sanded finish on most of its metal components.



SELECT™ ENERGY TRAP ADJUSTABLE SIGNATURE 12M

The Select™ Energy Trap Adjustable has several highly meticulous and sought-after features. The most important is the buttstock with adjustable comb which allows for individual adjustment of the drop and cast in seconds. It also has a wide 13 mm strip, intermediate foresight and a system of interchangeable Truglo® Tru•Bead™ foresights.



SELECT™ ENERGY SPORTING SIGNATURE 12M

The Select™ Energy Sporting Signature, with its easily adjustable comb, comes with a number of outstanding features, including a set of 5 Signature chokes from Briley and an adjustable trigger for perfect handling. A choice of 71 cm and 76 cm barrels, with 10 mm rib and a competition Truglo® Tru•Bead™ foresight complement this shotgun.

DID YOU KNOW?

THE IDEAL SHOT PATTERN AT ANY RANGE

Invictor-Plus chokes have been specially developed to work with our Back-Bored™ barrels.

They are designed to achieve the 'perfect target' across a variety of ranges. When swapping a choke, you can still get the ideal shot pattern at any range.

The Signature version from renowned manufacturer Briley is an extended choke that projects from the barrel for easy handling and a sportier look.



Signature Choke

SELECT™
SPORTING BLACK



STAY TRUE

SHOOTING shotshells



The pellet that makes the difference

ZERO IS ALWAYS LURKING AND, SOMETIMES, A SINGLE DOT ON THE TARGET MAKES THE DIFFERENCE.

Trap, Skeet, Sporting and other different clay shooting specialties demand a lot from cartridges. WINCHESTER® has all the necessary cartridges. With lead and steel shots. Cartridges with steel shot are today an excellent alternative, mandatory in countries where lead is not allowed. In terms of ballistic yield they

are very similar to lead cartridges, you just have to get used to the recoil which is drier, due to the stiffness of the wad, and to the advances, because they are generally faster. Since the specific weight of steel is lower than lead, there is 25% more shot in a cartridge than lead, for the same weight and number of shots. The wads are specific to guarantee protection from the shot rubbing with the barrel: the best performance is obtained with medium chokes. In any case, all WINCHESTER® shotguns equipped with interchangeable chokes are steel shot proof and fire any type of steel cartridge.



SELECT™ TRAP ADJUSTABLE 12M

This version of the Select™ Trap relies on perfect harmony between man and gun. For the sports shooter, what could be more precious than a made-to-measure gun? The Select™ Trap Adjustable's major asset is its stock – judiciously fitted with an adjustable cheek-piece, which allows you to adjust fit and pitch in just a few seconds. With its three interchangeable chokes, this beautifully made 12 magnum preserves all the spirit of the Select™ range, with winning shots into the bargain.



SELECT™ SPORTING II 12M

The Select™ Sporting II features distinctive traditional engraving that highlights its use for both clays and hunting. Its Back-Bored™ barrel is steel shot proved. Five Invector-Plus chokes included.

THE SUPER-EQUIPPED CARTRIDGE

SCKEET, TRENCH, SPORTING CLAYS, TRAP.

VICTORY IS AT YOUR FINGERTIPS WHEN YOU FIRE WINCHESTER® SHOTSHELLS.

Whether you're training or in the middle of a competition, with WINCHESTER® you can be sure of a technical and stable, high-performance product.

If you're the type of person who likes to spend the weekend shooting at clays, you know that the used wads bother shooting range owners more than anything else. Now, all our X2 lead and steel target shotshells come with a photodegradable wad.

X2

X2 LEAD



X2 LEAD from 24g to 32g, box of 25

X2 STEEL



X2 STEEL from 21g to 28g, box of 25

**NOTHING
IS MISSING**



STAY TRUE

The WINCHESTER® AA Tracker cartridge is essential for training: the particular black or orange wad (depending on the visibility conditions), designed to follow the trajectory of the shot, allows you to see where the shot is going and to correct errors on the spot sure.

AA TRACKER

**TRAINING SHOTSHELL:
SEE YOUR SHOT**
CALIBRE: 12ga 32 g

The X3 Plus cartridge, 24 and 28 grams 20 gauge, offers optimized weight distribution and guarantees a smoother recoil despite the high speed.

X3 PLUS

**IMPROVED DISTRIBUTION OF SHOT
AND LIGHTER RECOIL**
CALIBRES: cal. 20 24g - cal. 20 28g

Parcours is an incredibly effective 28 grams 7.5 and 8 pellets at any distance, which pushes its hardened pellets at very high speed (415 m/sec).

PARCOURS

AMAZING EFFICIENCY AT ANY RANGE
CALIBRE: 12ga 28g

The Streukreuz 24 grams, on the other hand, is specific for short-range shots of the Sporting. Its dispersant wad guarantees a wide shot pattern at a very short distance even with a full-choke barrel.

STREUKREUZ

LARGE DISPERSION OF SHOT
CALIBRE: 12ga 24 g



AMMUNITION

RIFLE AMMUNITION

Caliber	Type	Grain	Energy (J)	000.000	m/s				* Energy (Joules)				** Short/Mid range trajectory				*** Long range trajectory					
					0 m	100 m	200 m	300 m	0 m	100 m	200 m	300 m	50 m	100 m	200 m	100 m	200 m	300 m	400 m			
7	223Rem	FULL METAL JACKET	55	3,56	-	CUSA223R1	988	870	762	662	1.738	1.349	1.034	781	-0,80	0	-7,10	3,60	0	-17,80	-54,40	20
7	6.5X55Swd	FULL METAL JACKET	140	9,07	-	CUSA6555	777	726	676	629	2.740	2.391	2.077	1.796	0,00	0	-11,68	5,84	0	-23,87	-68,30	20
7	6.5Creedmoor	MATCH	140	9,07	-	CS65CM	826	779	734	690	3.095	2.752	2.440	2.157	-0,25	0	-9,65	4,83	0	-20,10	-57,40	20
7	30-06Spr	FULL METAL JACKET	147	9,53	-	CUSA3006	920	852	786	724	4.035	3.455	2.943	2.493	-0,50	0	-7,60	3,80	0	-17,00	-49,80	20
7	308Win	SUBSONIC HOLLOW POINT	185	12,0	-	CX308SUBX	323	299	281	NA	625	537	473	NA	0,00	-17,3	-122,40	NA	NA	NA	NA	20
7	308Win	MATCH	168	10,89	-	CS308M	817	757	700	646	3.634	3.122	2.671	2.270	-0,30	0	-10,40	5,30	0	-22,10	-63,80	20
7	308Win	FULL METAL JACKET	147	9,53	-	CUSA3081	853	787	724	663	3.470	2.950	2.495	2.095	-0,30	0	-9,40	4,80	0	-20,30	-59,70	20
7	300BLACKOUT	SUBSONIC HOLLOW POINT	200	12,96	-	CX300BLKX	323	301	283	NA	677	586	521	NA	0,00	-14,2	-111,50	NA	NA	NA	NA	20

* Energy (Joules) / ** Short/Mid range trajectory / *** Long range trajectory

PISTOL AMMUNITION

Caliber	Type	Grain	Energy (J)	000.000	USE	m/s		* Energy (Joules)			
						0 m	50 m	0 m	50 m		
14	ZINC FULL METAL JACKET	9mm LUGER	CW9MMLF	90	5,8	Shooting	404	NA	476	NA	50
15	WINCLEAN - LEAD FREE PRIMER	9mm LUGER	CWC92	124	8,04	Shooting	345	NA	477	NA	50
15	WINCLEAN - LEAD FREE PRIMER	.357 Mag	CWC3571	125	8,1	Shooting	418	361	706	527	50
12	FULL METAL JACKET	9mm LUGER	CW9MM124	124	8,04	Shooting	347	NA	485	NA	50
12	FULL METAL JACKET - FLAT NOSE	9mm LUGER	CUSA9MM1	147	9,53	Shooting	302	288	434	396	50
12	SUPER-X / FMJ	9x21 mm	CQ4269	124	8,04	Shooting	-	NA	-	NA	50
12	FULL METAL JACKET	.380 Auto	CQ4206	95	6,16	Shooting	291	264	258	217	50
12	FULL METAL JACKET	.38 Spec	CUSA38SPVP	130	8,42	Shooting	244	233	251	229	100
12	FULL METAL JACKET - FLAT NOSE	.40S &W	CUSA40SW	165	10,69	Shooting	323	305	559	498	50
12	FULL METAL JACKET	.40S &W	CQ4238	180	11,66	Shooting	311	287	564	483	50
12	FULL METAL JACKET	.45 Auto	CUSA45AVP	230	14,9	Shooting	255	244	483	442	100
12	LEAD WADCUTTER	.38 Spec	CX38SMRP	148	9,59	Shooting	216	193	225	179	50
12	LEAD	.44-40 Win	CUSA4440CB	225	14,58	Shooting	229	NA	381	NA	50
12	LEAD	.44 S&W Spec	CUSA44CB	240	15,55	Shooting	229	219	407	373	50
12	LEAD	.45 Colt	CUSA45CB	250	16,2	Shooting	229	219	423	390	50
-	HOLLOW SOFT POINT	.44 Rem Mag	CX44MHSP2	240	15,55	Hunting	360	329	1005	845	20
12	JACKETED SOFT POINT	.44 Rem Mag	CQ4240	240	15,55	Hunting	360	329	1006	845	50
12	JACKETED HOLLOW POINT	9mm LUGER	CUSA9JHP	115	9,53	SD	373	NA	519	NA	50

SD: SELF DEFENSE / * Energy (Joules)

RIMFIRE AMMUNITION

Caliber	Type	Grain	Energy (J)	000.000	m/s		* Energy (Joules)		*** Trajectory		
					0 m	100 m	0 m	100 m	0 m	50 m	
10	SUPER SPEED	CSS22LR	COPPER PLATED LEAD ROUND NOSE	40	2,59	386	NA	197	NA	NA	-18,2
10	T22	CWT22LR	LEAD ROUND NOSE	40	2,59	331	NA	144	NA	NA	NA
10	M*22*	CS22LRTE	LEAD ROUND NOSE	40	2,59	323	NA	135	NA	NA	9,4
10	STANDARD VELOCITY*	CS22LRVSVE	LEAD ROUND NOSE	45	2,92	305	NA	135	NA	NA	NA
10	ZIMMER	CZ22L	LEAD ROUND NOSE	29	1,88	235	NA	49	NA	NA	NA
11	LASER	CLAS22LRH	COPPER PLATED LEAD HOLLOW POINT	37	2,4	418	NA	218	NA	NA	-16,1
11	SUPER-X	CX22LRHSS1	COPPER PLATED LEAD HOLLOW POINT	37	2,4	405	316	197	119	NA	8,1
11	235 HP	C22LR235HP	HOLLOW POINT COPPER PLATED	36	2,33	390	297	178	103	NA	9,4
11	SUBSONIC	CW22SUBT	LEAD ROUND NOSE	40	2,59	334	NA	142	NA	NA	-23,9

* Indicates ballistic data generated from pistol barrel length. All other ballistic data generated from rifle barrel length / ** Energy (Joules) / *** Trajectory

SHOTSHELLS

Caliber	Type	Grain	Energy (J)	000.000	mm	mm	g	m/s			
								0 m	100 m		
23	RACK MASTER	-	Rifled and smooth	CHRKM12	12	67	20	32	Rack Master	455	10/200
23	RACK MASTER	-	Rifled and smooth	CHRKM16	16	67	16	28	Rack Master	440	10/200
23	BRENNEKE EMERALD	-	Rifled	CHBKE12	12	70	20	34	Brenneke Emerald	420	10/200
23	DEER SEASON COPPER IMPACT	✓	Rifled	CX12DSL	12	70	-	28	Copper sabot slug	488	5/100
23	DEER SEASON COPPER IMPACT	✓	Rifled	CX20DSL	20	70	-	21	Copper sabot slug	488	5/100
23	SUPER-X	-	Smooth	CX12RS15	12	70	-	28	Foster HP	488	5/250
23	SUPER-X	-	Smooth	CX12RS15L	12	76	-	28	Foster HP	536	5/250
-	SUPER-X LEAD FREE	✓	Smooth	CX12RS15LF	12	70	-	21	Lead Free - Zinc	442	5/250
23	SUPER-X	-	Smooth	CX20RSM5	20	70	-	21	Foster HP	488	5/250
23	SUPER-X	-	Smooth	CX41RS5	410	63,5	-	6	Foster HP	558	5/250

BUCKSHOT SHOTSHELLS

Caliber	Type	Grain	Energy (J)	000.000	mm	mm	g	m/s			
								0 m	100 m		
23	MAGNUM	-	Plastic + Fibre	CHBS12P12M	12	70	20	45	Cu 12x8,6 mm	385	5/250
-	DOUBLE-X	-	Plastic + Fibre	CSB1200	12	70	-	32	Cu 9x00 Buck	442	5/250
-	DOUBLE-X	-	Plastic + Fibre	CSB12300	12	76	-	42	Cu 12x00 Buck	442	5/250
-	DOUBLE-X	-	Plastic + Fibre	CSB12L00	12	89	-	52	Cu 15x00 Buck	442	5/250
-	SUPER-X	-	Plastic + Fibre	CXB12300	12	76	-	52	15x00 Buck	370	5/250
-	SUPER-X	-	Plastic + Fibre	CXB1200	12	70	-	32	9x00 Buck	405	5/250
-	STANDARD BUCKSHOT	-	Bior	CHBS12P9G	12	70	20	33,3	9x8,6 mm	410	10/250
-	STANDARD BUCKSHOT	-	Bior	CHBS12P12G	12	70	20	30,5	12x7,6 mm	410	10/250
-	STANDARD BUCKSHOT	-	Bior	CHBS12P16G	12	70	20	38	16x7,4 mm	400	10/250
-	STANDARD BUCKSHOT	-	Plastic	CHBS12P27G	12	70	20	38	27x6,2 mm	400	10/250

Caliber	Type	Grain	Energy (J)	000.000	mm	mm	g	m/s			
								0 m	100 m		
28	X2 STEEL	✓	Steel - Photodegradable	CX2S21S7PD	12	70	12	21	S 7	420	25/250
28	X2 STEEL	✓	Steel - Photodegradable	CX2S24S*PD	12	70	12	24	S 6 7 9	420	25/250
28	X2 STEEL	✓	Steel - Photodegradable	CX2S28S*PD	12	70	12	28	S 6 7	420	25/250


TARGET SHOTSHELLS - LEAD

Caliber	Type	Grain	Energy (J)	000.000	mm	mm	g	m/s			
								0 m	100 m		
28	X2 LEAD	-	Wad - Photodegradable	CX224P*PD	12	70	12	24	7,5 8 9	415	25/250
28	X2 LEAD	-	Wad - Photodegradable	CX228P*PD	12	70	12	28	7,5 8	400	25/250
28	X2 LEAD	-	Wad - Photodegradable	CX232P*PD	12	70	12	32	7,5	400	25/250
29	STREUKREUZ	-	Dispersante-Disperser	CSTR124P9	12	67	8	24	9	415	25/250
29	X3 PLUS	-	Plastic	CAAP224P	20	70	16	24	7,5 9	400	25/250
29	X3 PLUS	-	Plastic	CAAP228P75	20	70	16	28	7,5	390	25/200
29	PARCOURS	-	Plastic	CWISN28P	12	70	16	28	7,5 8	415	25/250

TRAINING SHOTSHELLS

Caliber	Type	Grain	Energy (J)	000.000	mm	mm	g	m/s			
								0 m	100 m		
29	AATRAACKER	-	Plastic-TrAAcker - Orange	CAAHA127TO	12	70	-	32	7,5	380	25/250
29	AATRAACKER	-	Plastic-TrAAcker - Black	CAAHA127TB	12	70	-	32	7,5	380	25/250

S: Steel • Ni: Nickered lead • Cu: Copper plated



WINCHESTER® PRIMERS

FOR THOSE WHO PREFER TO RELOAD...

Many shooters prefer to reload their ammunition, but even in this WINCHESTER® can offer a select range of components.

All types of primers, small and large rifle, standard and magnum, all in packs of 100.

	000.000			
PRIMER SHOT SHELL	CW209	STANDARD	PRIMER SHOTGUNS SHELLS,#209,100/5000	100
PRIMER RIFLE	CWSR	SMALL	PRIMER RIFLE,SMALL #6-1/2 - 116,100/5000	100
PRIMER RIFLE	CWLR	LARGE	PRIMER RIFLE,LARGE #8-1/2 - 120,100/5000	100
PRIMER RIFLE	CWLRM	LARGE MAGNUM	PRIMER RIFLE,LARGE MAGNUM #8-1/2M - 120,100/5000	100
PRIMER PISTOL	CWSP	SMALL	PRIMER PISTOL,SMALL REGULAR #1-1/2 - 108,100/5000	100
PRIMER PISTOL	CWSPM	SMALL MAGNUM	PRIMER PISTOL,SMALL MAGNUM #1-1/2 - 108,100/5000	100
PRIMER PISTOL	CWLP	LARGE	PRIMER PISTOL,LARGE REGULAR #7 - 111,100/5000	100

RIFLES AND SHOTGUNS

BOLT-ACTION RIFLES

	000.000							
4 XPR™ LONG RANGE THREADED	535749212	.243 Win	3+1 DBM	53	3.80	10	350	
4	535749220	.308 Win	3+1 DBM	53	3.80	10	350	
4	535749289	6.5 Creedmoor	3+1 DBM	53	3.80	8	350	
5 XPR™ THUMBHOLE THREADED	535734212	.243 Win	3+1 DBM	53	3.40	10	350	
5	535734220	.308 Win	3+1 DBM	53	3.40	12	350	
5	535734228	.30-06 Spr	3+1 DBM	53	3.40	10	350	
6 XPR™ VARMINT ADJUSTABLE THREADED	535754212	.243 Win	3+1 DBM	53	3.30	10	350	
6	535754220	.308 Win	3+1 DBM	53	3.30	12	350	
6	535754208	.223 Rem	5+1 DBM	53	3.30	8	350	
6	535754228	.30-06 Spr	3+1 DBM	53	3.30	10	350	
6	535754233	.300 WM	3+1 DBM	61	3.30	10	350	

SEMI-AUTOMATIC .22LR

NEW 8 WILDCAT™	521103102	.22 LR	10+1 DBM	41	2	16	346
NEW 8	521102102	.22 LR	10+1 DBM	46	2	16	346

SEMI-AUTOMATIC SHOTGUNS

	000.000									
16 SX4™ COMPOSITE 9-SHOT 12M	511260392	12/76	8+1 Rem	71	3.40	-	Inv. + (3)	362	44	51
16	511260393	12/76	8+1 Rem	76	3.40	-	Inv. + (3)	362	44	51
17 SX4™ RANIERO TESTA 12M	511222393	12/76	11+1 Rem	76	3.60	-	Inv. + Signature (5)	362	44	51
17	511223393	12/76	2+1 Fix	76	3.60	-	Inv. + Signature (5)	362	44	51
17	511298393	12/76	10+1 Fix	76	3.60	-	Inv. + Signature (5)	362	44	51
16 SX4™ SILVER PERFORMANCE 12M	511241392	12/76	4+1 Rem	71	3.10	-	Inv. + Signature (5)	362	44	51
16	511242392	12/76	2+1 Fix	71	3.10	-	Inv. + Signature (5)	362	44	51
16	511241393	12/76	4+1 Rem	76	3.15	-	Inv. + Signature (5)	362	44	51
16	511242393	12/76	2+1 Fix	76	3.15	-	Inv. + Signature (5)	362	44	51

OVER-AND-UNDER SHOTGUNS

28 SELECT™ TRAP ADJUSTABLE 12M	513066363	12/76	-	76	3.50	-	Inv. + Signature (5)	372	32 --> 41	57
28 SELECT™ SPORTING II 12M	513051361	12/76	-	71	3.40	-	Inv. + (5)	370	38	60
28	513051360	12/76	-	76	3.45	-	Inv. + (5)	370	38	60
27 SELECT™ ENERGY TRAP ADJUSTABLE 12M	513025363	12/76	-	76	3.50	-	Inv. + Signature (5)	372	32 --> 41	57
27 SELECT™ ENERGY SPORTING ADJ. 12M	513024362	12/76	-	71	3.50	-	Inv. + Signature (5)	372	32 --> 41	57
27	513024363	12/76	-	76	3.55	-	Inv. + Signature (5)	372	32 --> 41	57
NEW 27 SELECT™ SPORTING BLACK	513087362	12/76	-	71	3.3	-	Inv. + (5)	375	36	56
NEW 27	513087363	12/76	-	76	3.3	-	Inv. + (5)	375	36	56

PUMP-ACTION-SHOTGUNS

22 SXP™ DARK EARTH DEFENDER	512326395	12/76	5+1 Fix	46	3.15	35	-	350	41	51
22 SXP™ XTRM DARK EARTH DEFENDER	512391395	12/76	5+1 Fix	46	3.25	35	-	350	-	-
22 SXP™ TYPHON DEFENDER	512347395	12/76	5+1 Rem	46	2.95	-	Inv. + (Cyl)	350	41	51
22 SXP™ DEFENDER	512252395	12/76	5+1 Rem	46	2.95	-	-	350	41	51
22 SXP™ DEFENDER HIGH CAPACITY	512264395	12/76	7+1 Rem	51	3.10	-	-	350	41	51
21 SXP™ XTRM DEFENDER ADJUSTABLE	512303395	12/76	5+1 Rem	46	3.10	-	Inv. + Door Breacher	-	-	-
21 SXP™ XTRM DEFENDER HIGH CAPACITY	512355370	12/76	7+1 Rem	51	3.15	-	-	-	-	-
21 SXP™ DEFENDER TACTICAL ADJUSTABLE	512388304	12/76	4+1 Rem	35	2.90	-	-	-	-	-
21 SXP™ DEFENDER TACTICAL PISTOLGRIP	512397304	12/76	4+1 Rem	35	2.80	-	-	-	-	-

* Magazine capacity / ** Rate of twist / *** Buttstock (mm) / **** Drop at comb (mm) / ***** Drop at heel (mm)

WINCHESTER



STAY TRUE

The license for the WINCHESTER® trademark is granted to Browning International by the Olin Corporation (USA). No use thereof will be authorised without the prior formal agreement of Browning International, and any unauthorised use will be subject to legal action. The documentation, information, technical data, and photographs in this catalogue may not be reproduced, modified, translated, placed in a database, or communicated to the public, in full or in part, in any form whatsoever without the prior written agreement of Browning International. All rights are reserved for all countries. The features of this catalogue may be modified without prior notice. The photographs are not contractual. The purchase and possession of the products presented in this catalogue are subject to applicable law. The weights and dimensions given in the tables are average values.

Managing Editor: Martin Boucquoy - Marketing Manager | Design & Graphics: Deval Communication | Text: Adrien Koutny, Massimo Vallini | Photographs: Jean Davister, Jehanne Hupin, Denis Lerule, Browning International | Printing: IPM Pressprint.
BROWNING INTERNATIONAL S.A : Parc industriel des Hauts-Sarts - 3^{ème} Avenue, 25 - B-4040 HERSTAL - BELGIUM

WINCHESTER